

Conforms to OSHA HazCom 2012 Standard

Section 1 - Identification

Product Identifier ARMOR PLATE Gloss Restorer & Cleaner

Recommended use Polishing compound.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name Chemeco (Aust) 17 Yale Drive Epping VIC 3076

Emergency Phone (03) 9408 8699

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 2A

OSHA defined hazards

Label Elements Hazard Symbol Not Classified.



Signal Word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components

 Ingredient Name
 CAS #
 %

 Pine Oil
 8002-09-3
 5 - 10

 2-Propanol
 67-63-0
 1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Wash off with soap and water. Get medical attention if irritation persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

persists

Ingestion Rinse mouth. Get medical attention if irritation persists.

Most Important symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

/effects, acute and delayed blurred vision.

Indication of immediate medical Provide general supportive measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

Section 5 - Fire-fighting measures

attention and special treatment

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

REVOLUTIONARY HARD FLOOR CARE RAN



Conforms to OSHA HazCom 2012 Standard

Unsuitable extinguishing media

Specific hazards arising from the

chemical

Special protective equipment and

precautions for firefighters
Fire-fighting equipment /instruction

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case

of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if

you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods

Use standard fire fighting procedures and consider the hazards of other involved

materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

proceaures.

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section

13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value

2-Propanol (CAS 67-63-0) TWA 980 mg/m³, 400ppm

US. ACGIH Threshold Limit Values

 Component
 Type
 Value

 2-Propanol (CAS 67-63-0)
 STEL
 400 ppm

 2-Propanol (CAS 67-63-0)
 TWA
 200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value 2-Propanol (CAS 67-63-0) IDLH 2000 ppm

2-Propanol (CAS 67-63-0) STEL 1225 mg/m³, 500 pp 2-Propanol (CAS 67-63-0) TWA 980 mg/m³, 400 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Component Value Determinate Specimen Sampling 2-Propanol (CAS 67-63-0) 200 mg/g Butoxyacetic acid Creatinine in urine *

(BAA), with hydrolysis

2-Propanol (CAS 67-63-0) 40 mg/l Acetone Urine *

* - For sampling details, please see the source document.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used.

REVOLUTIONARY HARD FLOOR CARE RANG



Conforms to OSHA HazCom 2012 Standard

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerationsAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical stateLiquid.FormClear liquid.ColorAmber.OdorPine.

Odor threshold Not available.

pH 10.7

Melting point/freezing pointNot available. **Initial boiling point and**Not available.
212 °F (100 °C)

boiling range

Flash point >201°F (94 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.01 ± 0.01 Relative density temperature 75 °F (23.89 °C) **Solubilities** Completely soluble.

Partition Coefficient n-

Not available

octanol/water

Auto-ignition temperatureNot AvailableDecomposition temperatureNot AvailableViscosity< 30 cP</th>

Viscosity Temperature 75 °F (23.89 °C)

Section 10 - Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reaction No dangerous reaction known under conditions of normal use.

Conditions to AvoidAvoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition Pro No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure



Conforms to OSHA HazCom 2012 Standard

Ingestion Expected to be a low ingestion hazard.

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Symptoms related to the physical,

Information on toxicological effects.

chemical and toxicological

characteristics

Acute toxicity

blurred vision.

Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye irritation Causes serious eye irritation.

Respiratory sensitizationThis product is not expected to cause respiratory sensitization. **Skin sensitization**This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1%

are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

This product is not expected to cause reproductive or developmental effects.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Partition coefficient n-octanol / water log (Kow)

Components Results 2-Propanol (CAS 67-63-0) 0.05

Mobility in soilNo data available.Mobility in generalNo data available.

creation potential, endocrine disruption, global warming potential) are expected from

this component.

Section 13 - Disposal considerations

Disposal instructionsDispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the

product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

Section 14 - Transport

information DOT

Not regulated as dangerous goods. Not regulated as dangerous goods. Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG This substance/mixture is not intended to be transported in bulk.

Transportation in bulk according to Annex II of MARPOL 73/78 and

IBC Code

Section 15 - Regulatory Information



Conforms to OSHA HazCom 2012 Standard

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export

Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated

Not listed.

Not regulated.

Substances (29 CFR 1910.1001-**CERCLA Hazardous Substance**

List (40 CFR 302.4

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Immediate Hazard Yes Categories **Delayed Hazard** No

Fire Hazard No Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous

substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants

Clean Air Act (CAA) Section

Not regulated.

Not regulated.

112(r) Accidental Release **Prevention (40 CFR 68.130)**

Safe Drinking Water Act (SDWA) Not regulated. **Food and Drug Administration**

Not regulated.

(FDA)

US state regulations

US.Massachusetts RTK -Components

Substance List

2-Propanol (CAS 67-63-0)

US.New Jersey Worker and

Community Right-to-Know Act

Pine Oil (CAS 8002-09-3)

2-Propanol (CAS 67-63-0)

US.Pennsylvania RTK -**Hazardous Substances**

Components

Components

US.Rhode Island RTK

2-Propanol (CAS 67-63-0)

US - California Propsition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals

currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No



Conforms to OSHA HazCom 2012 Standard

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).
*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 5/28/2022

Version # 01

Disclaimer The information contained herein was obtained from current and reliable sources.

However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation,

handling, storage, use or disposal of this product which may not be reflected in this

SDS. The user should review these regulations to ensure full compliance.

REVOLUTIONARY HARD FLOOR CARE RAN